### **Review Article**



## Open d Access

### **Cirrhosis Chronicles: Unraveling the Enigma and Revolutionary Therapies**

Tamer A. Addissouky<sup>1,2,3\*</sup>, Ibrahim El Tantawy El Sayed<sup>2</sup>, Majeed M. A. Ali<sup>1</sup>

<sup>1</sup>Al-Hadi University College, Baghdad, Iraq. <sup>2</sup>Department of Biochemistry, Science Faculty, Menoufia University, Menoufia, Egypt. <sup>3</sup>MLS ministry of health, Alexandria, Egypt. - MLS ASCP, United States. \*Corresponding author: Tamer A. Addissouky.

#### Abstract

Background: Cirrhosis represents a major global health burden, driven by rising prevalence of risk factors like viral hepatitis, alcohol abuse, and obesity.

**Purpose:** This paper reviews current understanding of cirrhosis pathogenesis, limitations of traditional therapies, and recent revolutionary innovations in disease management.

**Main Body:** Chronic liver injury triggers inflammation and activation of hepatic stellate cells, key drivers of fibrosis. Resulting architectural distortions impair liver function. While conventional treatments like dietary modifications provide temporary relief, they fail to halt progression. Advanced diagnostics like elastography and biomarkers enable early noninvasive detection and monitoring. Novel antifibrotics and anti-inflammatories show promise targeting molecular pathways underlying fibrosis. Precision medicine facilitates personalized therapies based on genetic profiles and biomarker signatures. Regenerative approaches using stem cells and tissue engineering aim to restore liver structure and function. Transplantation advancements expand donor pools and improve outcomes. Emerging technologies like AI analytics, wearables, and telemedicine optimize clinical decision-making and accessibility. However, challenges remain regarding biomarkers' inconsistent accuracy, animal models' limitations, and translating research into practice.

**Conclusion:** Recent revolutionary innovations hold immense potential for unraveling the enigma of cirrhosis and transforming patient care through enhanced diagnostics, molecularly targeted treatments, regenerative strategies, and leveraging cutting-edge technologies. But continued research and multidisciplinary collaboration are vital to overcome existing barriers and realize precision, personalized cirrhosis therapies.

**Keywords:** cirrhosis; diagnostic approaches; targeted pharmacological approaches; regenerative medicine; personalized treatment; cutting-edge technologies

### **Introduction: Background**

The rising prevalence of cirrhosis has become a significant global health concern. Cirrhosis is a leading cause of morbidity and mortality worldwide, contributing to a substantial burden on healthcare systems and economies [1]. Several factors contribute to the increasing prevalence of cirrhosis on a global scale. Firstly, the high prevalence of risk factors such as chronic viral hepatitis (HBV and HCV), excessive alcohol consumption, and obesity-related liver disease (NAFLD/NASH) plays a significant role. The global burden of viral hepatitis remains high, with millions of individuals affected by chronic viral infections that can progress to cirrhosis if left untreated. Alcoholrelated liver disease is closely linked to lifestyle choices and patterns of alcohol consumption, which have been on the rise in many regions. Additionally, the global obesity epidemic has led to an increase in

NAFLD/NASH cases, further contributing to the burden of cirrhosis. Socioeconomic factors and healthcare disparities also play a role in the rising prevalence of cirrhosis. Limited access to healthcare, including preventative measures, screening, and early diagnosis, can result in delayed detection and treatment of liver diseases, leading to the progression to cirrhosis. Furthermore, disparities in resources, infrastructure, and education impact the ability to effectively manage and treat cirrhosis in certain populations [2].

The consequences of the increasing prevalence of cirrhosis extend beyond individual health. Cirrhosisrelated complications, such as liver failure, portal hypertension, variceal bleeding, and hepatocellular carcinoma, require extensive medical interventions and resources. The economic burden associated with cirrhosis includes direct healthcare costs, loss of

ISSN:2837-4681

productivity, and decreased quality of life for affected individuals and their families. Addressing the rising prevalence of cirrhosis requires a comprehensive approach at both the individual and population levels. Prevention strategies, such as vaccination against hepatitis B, education about the risks of excessive alcohol consumption, and lifestyle modifications to combat obesity, are essential in reducing the incidence of cirrhosis. Early detection and screening programs, particularly for individuals at high risk, can facilitate timely intervention and prevent disease progression. Improving access to healthcare services, including specialized liver care, and addressing healthcare disparities are crucial steps in managing cirrhosis on a global scale [3].

Cirrhosis is a complex condition characterized by the irreversible scarring and fibrosis of the liver tissue, which impairs its normal function. Despite its high prevalence and impact on global health, cirrhosis remains an enigma in many aspects. Understanding the intricate mechanisms underlying the development and progression of cirrhosis is crucial for effective prevention, early detection, and improved therapeutic interventions. Unraveling the enigma of cirrhosis holds the key to mitigating its devastating consequences and enhancing patient outcomes [4].

In recent years, there has been a remarkable surge in revolutionary therapies aimed at tackling cirrhosis groundbreaking from various angles. These advanced approaches encompass diagnostic techniques for early detection, novel pharmacological interventions targeting fibrosis and inflammation, precision medicine strategies tailored to individual patients, regenerative medicine techniques, and advancements in liver transplantation. These innovative therapies offer hope for transforming the landscape of cirrhosis management, providing new avenues for disease control and improving the quality of life for affected individuals [5].

# Understanding Cirrhosis: Unraveling the Enigma

### Definition and etiology of cirrhosis

Cirrhosis is a progressive liver disease characterized by the formation of scar tissue in the liver, leading to impaired liver function. It represents the end stage of various chronic liver conditions and can result from a multitude of etiological factors. Common causes include chronic alcohol abuse, viral hepatitis (such as hepatitis B and C), non-alcoholic fatty liver disease (NAFLD), autoimmune liver diseases, genetic disorders, and certain medications or toxins. Understanding the diverse etiologies of cirrhosis is crucial for targeted prevention and management strategies [6].

### Pathogenesis and underlying mechanisms

The pathogenesis of cirrhosis involves a complex interplay of various mechanisms that contribute to liver inflammation, and fibrosis. injury, Understanding these underlying mechanisms is crucial for effective management and treatment of the disease. Chronic liver injury is the primary trigger for the development of cirrhosis. In response to ongoing liver damage, the liver cells (hepatocytes) activate an inflammatory response. This inflammation leads to the recruitment of immune cells and the release of pro-inflammatory cytokines, promoting further liver injury [7]. Persistent liver injury triggers a wound healing response, characterized by the activation of hepatic stellate cells (HSCs). HSCs are quiescent cells present in the liver, but in cirrhosis, they undergo activation and transform into myofibroblasts. Activated HSCs play a central role in the pathogenesis of cirrhosis by producing excessive amounts of extracellular matrix proteins, particularly collagen. The accumulation of collagen and other fibrous proteins leads to the formation of scar tissue (fibrosis) within the liver [8]. As fibrosis progresses, the liver architecture becomes distorted, disrupting the normal blood flow through the liver. This altered blood flow results in increased pressure within the portal vein and its branches, a condition known as portal hypertension. Portal hypertension leads to the development of collateral blood vessels (varices) and can cause complications such as variceal bleeding and ascites [9]. In addition to fibrosis, cirrhosis is associated with hepatocyte dysfunction and loss of liver function. The progressive destruction of hepatocytes impairs the liver's ability to carry out its essential functions, including detoxification, synthesis of proteins, and metabolism of nutrients and hormones. This dysfunction contributes to the clinical manifestations and complications of cirrhosis. The underlying mechanisms of cirrhosis are influenced by various factors specific to its etiology. For example, in chronic viral hepatitis, ongoing viral replication, immune-mediated liver injury, and the activation of fibrogenic pathways contribute to the development of cirrhosis. In alcohol-related liver disease, alcohol metabolism leads to the generation of toxic byproducts and oxidative stress, promoting inflammation and fibrosis [10-12].

## Clinical manifestations and diagnostic approaches

Cirrhosis can manifest with a wide range of clinical signs and symptoms, which may vary depending on the severity and underlying cause. Common manifestations include fatigue, jaundice, abdominal pain, ascites (accumulation of fluid in the abdomen), hepatic encephalopathy (mental confusion and coagulopathy. impairment), and Diagnostic approaches for cirrhosis include a thorough medical history, physical examination, laboratory tests (such as liver function tests), imaging studies (such as ultrasound or MRI), and liver biopsy in certain cases. Accurate diagnosis is crucial for initiating appropriate management strategies and monitoring disease progression [13].

### Unraveling the complex enigma of cirrhosis: Key research findings

Over the years, extensive research efforts have aimed to unravel the complex enigma of cirrhosis. Scientists and clinicians have made significant strides in understanding the molecular mechanisms involved in fibrosis, identifying key signaling pathways and potential therapeutic targets. Additionally, advancements in non-invasive diagnostic techniques, such as transient elastography and serological markers, have provided valuable tools for assessing liver fibrosis and monitoring disease progression. Research findings have also shed light on the role of the gut-liver axis, the impact of the microbiome on cirrhosis, and the potential of precision medicine approaches for personalized treatment [14].

### Traditional Treatment Approaches: Limitations and Challenges

## Conventional management strategies for cirrhosis

Cirrhosis, a chronic liver disease characterized by the progressive scarring and dysfunction of liver tissue, poses a significant global health burden. For years, medical professionals have relied on traditional treatment approaches to manage this complex condition. These conventional management strategies for cirrhosis primarily aim to slow down disease progression, alleviate symptoms, and prevent complications. While these approaches have provided some level of relief to patients, they are not without their limitations [15].

Limitations and drawbacks of traditional therapies

Despite the widespread use of traditional therapies in cirrhosis management, there are several inherent limitations and drawbacks associated with these treatments. First and foremost, many of these therapies primarily focus on symptom management rather than addressing the underlying cause of the disease. This approach often leads to temporary relief but fails to provide a long-term solution for patients. Moreover, traditional therapies for cirrhosis, such as dietary modifications, medication regimens, and lifestyle changes, often require strict compliance and may not be suitable for all patients. The effectiveness of these treatments can vary significantly depending on individual factors, including disease severity, comorbidities, and patient compliance. Furthermore, these therapies may not adequately target the complex mechanisms involved in cirrhosis progression, leaving patients vulnerable to disease exacerbation and complications [16].

## Need for revolutionary approaches in cirrhosis treatment

Given the limitations and challenges associated with traditional treatment approaches in cirrhosis management, there is a pressing need for revolutionary approaches that can transform the current landscape of therapy. Revolutionary therapies aim to provide innovative solutions that go beyond symptom management and address the fundamental mechanisms driving cirrhosis progression. By unraveling the enigma of cirrhosis and gaining a deeper understanding of its underlying molecular and researchers and cellular processes, medical professionals now poised develop are to groundbreaking treatments. These revolutionary approaches hold the potential to not only halt disease progression but also reverse liver damage and restore liver function, offering a ray of hope for patients suffering from cirrhosis [17].

# Revolutionary Therapies in Cirrhosis Management

# Advanced diagnostic techniques for early detection and monitoring

Advanced diagnostic techniques play a crucial role in the early detection and monitoring of cirrhosis. These techniques enable healthcare professionals to identify the disease at its initial stages, allowing for timely intervention and improved patient outcomes. One of the commonly used advanced diagnostic techniques is elastography, which measures liver stiffness. Transient elastography and shear wave elastography use

#### BioRes Scientia Publishers

ultrasound or magnetic resonance imaging (MRI) to assess the stiffness of the liver. Increased liver stiffness is indicative of liver fibrosis, and the degree of stiffness can help determine the stage of cirrhosis. Elastography provides a non-invasive and rapid method to assess liver fibrosis, reducing the need for invasive liver biopsy [18]. Imaging techniques such as ultrasound, computed tomography (CT), and MRI also play a vital role in diagnosing and monitoring cirrhosis as depicted in Table 1. These imaging modalities can detect liver nodules, evaluate liver size and shape, assess blood flow, and identify complications such as portal hypertension and ascites. Additionally, contrast-enhanced imaging techniques, such as dynamic contrast-enhanced MRI or CT, provide detailed information about liver perfusion and vascular changes associated with cirrhosis [19]. Fibroscan, also known as transient elastography, is another advanced technique that measures liver stiffness using ultrasound waves. It provides a quantitative assessment of liver fibrosis and can be used as a non-invasive alternative to liver biopsy. Fibroscan is widely used for monitoring disease progression and treatment response in cirrhosis patients. Accurate staging of liver fibrosis is critical for prognosis and guiding therapy in hepatitis C virus (HCV) infection. Addissouky et al. evaluated several novel biomarkers - hyaluronic acid (HA), collagen oligomeric matrix protein (COMP), collagen type IV (CO-IV), and composite scoring systems - for noninvasive fibrosis detection. Their findings that these biomarkers can effectively distinguish significant fibrosis and cirrhosis are important given limitations of biopsy and the need for alternatives [20-21]. However, biopsy remains the gold standard given only moderate accuracy of current biomarkers. Most markers perform well identifying cirrhosis but lack sensitivity distinguishing intermediate fibrosis stages. Single biomarkers also show inconsistent results across studies [22]. Laboratory tests also contribute to the early detection and monitoring of cirrhosis. Blood tests can measure liver function parameters, such as liver enzymes, bilirubin levels, albumin, and clotting factors. These tests help assess the extent of liver damage and dysfunction. Additionally, specific biomarkers, such as markers of fibrosis (e.g., FibroTest, Enhanced Liver Fibrosis score) or markers of hepatocellular carcinoma (e.g., alpha-fetoprotein), can aid in the detection and monitoring of cirrhosiscomplications [23]. Advancements related molecular and genetic testing have also expanded our understanding of cirrhosis. Genetic testing can identify inherited liver diseases and genetic predispositions to cirrhosis, facilitating early detection and risk assessment. Furthermore, molecular profiling of liver tissue and blood samples can provide insights into the underlying mechanisms and molecular signatures associated with cirrhosis, aiding in personalized treatment approaches and prognostic assessments [24].

Imaging Modality	Key Features	Advantages & Clinical Utility	
Transient	- Uses ultrasound waves to measure liver	- Rapid, painless, point-of-care	
Elastography	stiffness - Results expressed as liver	testing - High accuracy for	
	stiffness measurement (LSM) values	advanced fibrosis/cirrhosis staging	
Shear Wave	- Combines B-mode imaging & acoustic	- Incorporated into clinical	
Elastography	radiation force - LSM values	ultrasound - Can sample	
	predictive of fibrosis stage	larger liver areas	
Magnetic	- Uses MRI with acoustic waves -	- 3D mapping of liver stiffness	
Resonance	LSM cutoff values to predict fibrosis	> Excellent accuracy even for	
Elastography (MRE)	stage	mild fibrosis	

Table 1: Advanced imaging modalities for noninvasive assessment of liver fibrosis

## Novel pharmacological interventions targeting fibrosis and inflammation

Fibrosis and inflammation are two closely interconnected processes that play a significant role in the pathogenesis of various diseases. From chronic liver disease to pulmonary fibrosis, these mechanisms contribute to tissue damage, organ dysfunction, and progression of the underlying condition. Over the years, extensive research has focused on developing novel pharmacological interventions that specifically target fibrosis and inflammation, aiming to mitigate their detrimental effects and provide new therapeutic options for patients [25]. The development of fibrosis involves the excessive accumulation of extracellular matrix components, leading to tissue scarring and impaired organ function. At the same time, inflammation plays a crucial role in initiating and perpetuating fibrotic processes. Inflammatory cells

release a cascade of cytokines and growth factors that promote fibrogenesis, exacerbating the fibrotic response. Consequently, therapeutic strategies addressing both fibrosis and inflammation have emerged as promising approaches to combat these intertwined pathological processes [26]. One area of active investigation involves the identification and targeting of key molecular pathways involved in fibrosis and inflammation. Researchers have made significant progress in elucidating the intricate signaling networks that drive these processes, unveiling potential targets for pharmacological intervention. From profibrotic cytokines such as transforming growth factor-beta (TGF-β) to proinflammatory mediators like tumor necrosis factor-alpha (TNF- $\alpha$ ), numerous molecules have been identified as potential therapeutic targets [27]. In years, several novel pharmacological recent interventions have shown promise in preclinical and clinical studies. For example, agents that selectively inhibit fibrogenic signaling pathways or modulate the activity of proinflammatory molecules have demonstrated efficacy in various disease models. These interventions aim to disrupt the fibrosisinflammation loop, arresting disease progression and promoting tissue repair [28]. Moreover, the advent of precision medicine and personalized approaches has opened new avenues for targeted interventions in fibrosis and inflammation. Advances in genomics, proteomics, and other omics technologies have identification of patient-specific enabled the molecular signatures associated with fibrotic and inflammatory diseases. This knowledge facilitates the development of tailored therapies that address the specific mechanisms driving fibrosis and inflammation in individual patients, potentially improving treatment outcomes and minimizing adverse effects [29].

## Precision medicine and personalized treatment approaches

Precision medicine and personalized treatment approaches have emerged as beacons of hope, offering unprecedented possibilities for improving patient outcomes and transforming the landscape of cirrhosis management [30]. By harnessing the power of advanced technologies, comprehensive patient profiling, and tailored therapeutic interventions, precision medicine holds the potential to unravel the enigma of cirrhosis and pave the way for revolutionary therapies [31-32]. Cirrhosis, characterized by the extensive scarring of liver tissue, is a consequence of chronic liver diseases such as viral hepatitis, alcoholrelated liver disease, non-alcoholic fatty liver disease, and autoimmune liver diseases. Historically, cirrhosis has been challenging to treat due to its complex pathogenesis and the heterogeneity of patient responses to existing therapies. However, the advent of precision medicine has opened up exciting new avenues for understanding the underlying mechanisms of cirrhosis at a molecular level and designing personalized treatment strategies [33-35]. At the heart of precision medicine lies the recognition that each individual's cirrhosis journey is unique, influenced by genetic predispositions, environmental factors, lifestyle choices, and comorbidities. By integrating high-throughput genomic sequencing, proteomic profiling, and other "-omics" technologies, precision medicine enables the identification of specific genetic alterations, biomarkers, and molecular signatures that drive the progression of cirrhosis in individual patients. This wealth of information not only enhances our understanding of cirrhosis pathogenesis but also provides a foundation for developing targeted therapies with enhanced efficacy and safety profiles [36].

Personalized treatment approaches build upon the principles of precision medicine by taking into account the diverse factors that contribute to the development and progression of cirrhosis. Comprehensive patient profiling, encompassing clinical data, medical history, lifestyle factors, and genetic information, helps tailor treatment plans to address the unique needs of each patient. This individualized approach allows healthcare providers to optimize therapeutic strategies, select the most appropriate medications, and monitor treatment response more effectively [37-39]. The potential of precision medicine and personalized treatment approaches in cirrhosis extends beyond refined diagnostics and treatment selection. These approaches also hold promise for predicting disease progression, identifying patients at higher risk of complications, and guiding interventions to prevent or mitigate adverse outcomes. By integrating real-time artificial monitoring, wearable devices. and intelligence algorithms, precision medicine empowers healthcare professionals to deliver proactive and preventive care, ultimately improving long-term outcomes for patients with cirrhosis [40]. Despite the immense promise of precision medicine and personalized treatment approaches in cirrhosis, several challenges must be addressed for their

implementation. widespread These challenges include the need for robust data infrastructure, ethical considerations surrounding patient consent and data privacy, equitable access to advanced technologies, and the translation of research findings into clinical practice. Collaboration among researchers, clinicians, industry stakeholders, and regulatory bodies is crucial to overcoming these challenges and realizing the full potential of precision medicine in cirrhosis management [41-45].

## Regenerative medicine and liver transplantation advancements

Regenerative medicine and advancements in liver transplantation have emerged as transformative approaches, offering new hope for patients with cirrhosis. These cutting-edge strategies aim to restore liver function, regenerate damaged tissues, and revolutionize the field of cirrhosis therapeutics. Regenerative medicine holds tremendous promise in the context of cirrhosis, offering innovative approaches to restore liver function and reverse the underlying damage. Stem cell therapies, in particular, have garnered considerable attention as potential game-changers in the field. Stem cells possess the remarkable ability to differentiate into various cell types, including hepatocytes, the primary functional cells of the liver. Researchers are exploring the use of both embryonic and induced pluripotent stem cells to generate functional hepatocytes, with the ultimate goal of transplanting these cells into cirrhotic livers to promote tissue regeneration and restore normal liver function [46].

addition In to stem cell-based approaches, regenerative medicine encompasses other cuttingedge strategies such as tissue engineering and gene therapies. Tissue engineering involves the creation of three-dimensional liver tissue constructs using a combination of biomaterials and cells, providing a platform for transplantation or in vitro drug testing. Gene therapies, on the other hand, aim to correct genetic defects or modulate specific molecular pathways involved in cirrhosis development and progression. These regenerative medicine approaches offer exciting possibilities for treating cirrhosis by targeting the root causes of the disease and promoting functional tissue regeneration [47-50]. Furthermore, transplantation advancements in liver have significantly improved the outcomes for patients with end-stage cirrhosis. Liver transplantation remains the gold standard treatment for advanced cirrhosis and liver failure, providing a life-saving option for eligible

patients. Over the years, improvements in surgical techniques, organ preservation, and immunosuppressive therapies have enhanced the success rates of liver transplantation and increased the availability of donor organs. The advent of living donor liver transplantation has further expanded the donor pool, offering opportunities for timely transplantation and improved patient outcomes [51]. In recent years, emerging technologies and innovative approaches have further propelled the field of liver transplantation. Machine perfusion, for instance, has revolutionized the process of organ preservation by maintaining the liver in a functioning state outside the body, allowing for better assessment, optimization, and potentially increasing the number of viable organs for transplantation. Additionally, advancements in immunosuppressive regimens and the development of novel immunomodulatory therapies hold promise for reducing the risk of rejection, improving graft survival, and enhancing long-term outcomes for transplant recipients. of However, challenges persist in the field regenerative medicine and liver transplantation. The shortage of donor organs and the complexities associated with immune rejection remain significant hurdles. Researchers and clinicians continue to explore strategies to overcome these challenges, such as the use of bioengineered liver grafts, xenotransplantation, immunomodulatory and therapies. Additionally, ethical considerations, costeffectiveness, and long-term safety of regenerative approaches medicine and transplantation careful evaluation advancements require and continued research [52].

## Cutting-edge interventions to address complications and improve outcomes

Cutting-edge interventions have emerged as a beacon of hope, offering revolutionary approaches to address the complications of cirrhosis and improve patient outcomes. These innovative interventions encompass a range of therapeutic strategies, including novel procedures, advanced medical devices, and groundbreaking pharmacological approaches, all aimed at tackling the multifaceted nature of cirrhosis and its associated complications. Cirrhosis is characterized by the progressive scarring of liver tissue, leading to impaired liver function and a multitude of complications. These complications can affect various organ systems, including the gastrointestinal tract, cardiovascular system, renal system, and the central nervous system. They encompass conditions such as

ISSN:2837-4681

portal hypertension, ascites, hepatic encephalopathy, hepatorenal syndrome, and hepatocellular carcinoma, among others. Historically, the management of these complications has posed significant challenges, often requiring invasive procedures and limited treatment options. However, recent advancements in medical science have brought forth a new era of cutting-edge interventions that promise to transform the landscape of cirrhosis management [53].

One area of focus in addressing cirrhosis complications is the development of minimally invasive procedures. These procedures offer less alternatives to traditional surgical invasive interventions, reducing the risks associated with open surgeries and promoting faster recovery times. For instance, the placement of transjugular intrahepatic portosystemic shunts (TIPS) has revolutionized the management of portal hypertension and its associated complications, such as variceal bleeding and refractory ascites. TIPS procedures involve the insertion of a stent-like device within the liver to redirect blood flow and relieve the pressure within the portal vein. This innovative intervention has significantly improved outcomes and decreased the need for more invasive surgical interventions [54]. Pharmacological advancements also contribute to the arsenal of cutting-edge interventions for cirrhosis complications. Novel drug therapies targeting specific molecular pathways involved in the pathogenesis of cirrhosis and its associated complications are being developed and tested. For example, medications that target the renin-angiotensin-aldosterone system have shown promise in the management of hepatorenal syndrome, a severe complication of cirrhosis characterized by kidney dysfunction. Additionally, the advent of direct-acting antiviral agents has revolutionized the treatment of hepatitis C, a major underlying cause of cirrhosis, leading to improved liver function and reduced risk of complications in affected individuals [55].

### Multidisciplinary Approach in Cirrhosis Care The role of hepatologists, gastroenterologists, and hepatobiliary surgeons

The management of cirrhosis requires a multidisciplinary approach involving various healthcare professionals with specialized expertise. Hepatologists, gastroenterologists, and hepatobiliary surgeons play pivotal roles in the comprehensive care of patients with cirrhosis. Hepatologists are specialists in liver diseases and are responsible for diagnosing

cirrhosis, and managing monitoring disease progression, and determining appropriate treatment strategies. Gastroenterologists collaborate closely with hepatologists address gastrointestinal to complications associated with cirrhosis, such as variceal bleeding and portal hypertension. Hepatobiliary surgeons have expertise in surgical interventions, including liver transplantation, resection of liver tumors, and surgical management of complications. The combined knowledge and skills of these specialists ensure a holistic and coordinated approach to cirrhosis care [56].

## Collaborative efforts between healthcare providers for comprehensive care

Effective cirrhosis care relies on seamless collaboration and communication among healthcare providers. A multidisciplinary team comprising hepatologists, gastroenterologists, hepatobiliary surgeons, radiologists, pathologists, nutritionists, and specialized nurses work collaboratively to provide comprehensive care to patients with cirrhosis. This interdisciplinary approach ensures that all aspects of the disease are addressed, including diagnosis, monitoring, and management treatment, of complications. Regular interdisciplinary meetings and case discussions facilitate the exchange of knowledge and expertise, leading to well-informed decisionmaking and optimal patient outcomes. By pooling together their diverse perspectives and skills, healthcare providers can deliver integrated, individualized, and patient-centered care for individuals with cirrhosis [57].

## Patient education and support for disease management

Patient education and support are integral components of a multidisciplinary approach to cirrhosis care. Patients with cirrhosis require comprehensive knowledge about their condition, including its causes, progression, treatment options, and lifestyle modifications. Educational programs and resources empower patients to actively participate in their own care, make informed decisions, and adopt healthy behaviors. Additionally, support groups and counseling services provide emotional and psychological support to patients and their families, helping them cope with the challenges associated with cirrhosis. By promoting patient education and support, healthcare providers enhance patient engagement, adherence to treatment plans, and overall disease management [58].

### Future Directions and Promising Research Emerging technologies and their potential impact on cirrhosis management

The future of cirrhosis management holds great promise with the emergence of innovative technologies as depicted in **Table 2**. Advancements in imaging techniques, such as artificial intelligenceassisted image analysis and molecular imaging, have the potential to improve early detection, precise monitoring, and risk stratification of cirrhosis. Additionally, wearable devices and remote monitoring systems offer opportunities for real-time data collection, enabling healthcare providers to closely track patients' liver function and response to treatment. Furthermore, telemedicine and digital health platforms facilitate remote consultations, patient education, and self-management, enhancing accessibility and continuity of care for individuals with cirrhosis. These emerging technologies have the potential to revolutionize cirrhosis management by enhancing diagnostic accuracy, optimizing treatment decisions, and improving patient outcomes [59].

The internet internet of the i				
Application	Description	Key Components	Outcomes Improved	
Risk prediction	Predict risk of	Supervised ML	Patient stratification,	
	complications/prognosis	models, EMR data	enhanced monitoring	
Imaging	Detect liver lesions/HCC,	Deep neural	Early HCC detection,	
analysis	fibrosis staging	networks	reduce biopsy need	
Decision	Guide clinical decision	Knowledge bases,	Evidence-based	
support	making	inference engines	recommendations	
Telemedicine	Monitor patients virtually	Wearables, mobile	Accessibility,	
	Application Risk prediction Imaging analysis Decision support	ApplicationDescriptionRisk predictionPredict risk of complications/prognosisImagingDetect liver lesions/HCC, analysisDecisionGuide clinical decision making	ApplicationDescriptionKey ComponentsRisk predictionPredict risk of complications/prognosisSupervised ML models, EMR dataImaging analysisDetect liver lesions/HCC, fibrosis stagingDeep neural networksDecision supportGuide clinical decision makingKnowledge bases, inference engines	

 Table 2: Artificial intelligence applications in cirrhosis prediction and management

### **Investigational therapies and clinical trials**

Ongoing research and clinical trials are investigating novel therapeutic approaches for cirrhosis. Targeted therapies that aim to modulate specific molecular pathways involved in fibrosis, inflammation, and liver regeneration are being explored as depicted in **Table 3**. Experimental drugs, including antifibrotic agents, immune modulators, and gene therapies, are undergoing rigorous evaluation for their safety and efficacy in clinical trials. Furthermore, regenerative medicine approaches, such as stem cell therapies and tissue engineering, are being investigated as potential alternatives to liver transplantation [60]. These investigational therapies hold significant promise for transforming cirrhosis management and improving patient outcomes. Continued research and participation in clinical trials are crucial to advancing our understanding of cirrhosis pathogenesis and identifying effective treatments [61].

outcomes, costs

 Table 3: Novel antifibrotic therapies targeting hepatic stellate cell activation

Drug class	Agent	Mechanism of action	Stage of
			development
FXR agonists	Obeticholic	Inhibits HSC activation via	Phase 3 trials
	acid	small heterodimer partner	completed
PPARγ agonists	Saroglitazar	Inhibits HSC activation	Approved in
		and collagen synthesis	India
JAK inhibitors	Baricitinib	Inhibits JAK-STAT pathway	Preclinical
		and downregulates TGF-β	studies
Anti-LOXL2 mAbs	Simtuzumab	Inhibits lysyl oxidase and	Phase 2 trials
		collagen crosslinking	terminated
Galectin-3 inhibitors	GR-MD-02	Induces HSC apoptosis and	Phase 2 trials
		reverses fibrosis	ongoing

## Addressing challenges and optimizing the translation of research into clinical practice

While promising research is underway, there are challenges in translating scientific discoveries into

clinical practice. One key challenge is the complex nature of cirrhosis, which involves multiple underlying mechanisms and comorbidities. Overcoming these challenges requires collaboration between researchers, clinicians, and regulatory

#### ISSN:2837-4681

apps, AI triaging

authorities to design robust clinical trials, establish standardized protocols, and ensure the safety and efficacy of emerging therapies. Additionally, addressing the limitations of current animal models and developing more accurate preclinical models that closely mimic human cirrhosis is essential for successful translation. Moreover, optimizing healthcare infrastructure, fostering interdisciplinary collaborations, and promoting knowledge exchange between researchers and clinicians are critical for the effective implementation of cutting-edge research findings into routine clinical practice [62].

### Conclusion

This comprehensive review unravels current understanding of the intricate mechanisms driving cirrhosis pathogenesis and synthesizes recent groundbreaking innovations in disease detection, treatment, and prevention. Key conclusions elucidate inflammation and hepatic stellate cell activation as central drivers of progressive fibrosis and liver dysfunction. Conventional therapies only transiently alleviate symptoms without resolving underlying damage, underscoring the urgent need for revolutionary approaches targeting root causes. The emergence of advanced diagnostics, antifibrotics, immuno-modulators, regenerative platforms, and transplant advancements illuminate promising avenues to halt disease progression through enhanced monitoring, molecularly-targeted treatments, tissue restoration, and leveraging cutting-edge technologies. While knowledge gaps remain regarding biomarker accuracy, animal models, and translational barriers, the sheer breadth of trailblazing strategies poised to transform cirrhosis management heralds a new era defined by early intervention, escalating personalized care, and the real possibility of functional cures. Fulfilling this paradigm shift hinges on sustained innovation efforts through integrated basic, clinical, and computational research with an enduring focus on equitable patient access.

### Recommendations

Realizing the full potential of these trailblazing innovations to unravel the enigma of cirrhosis requires concerted efforts on multiple fronts. Key recommendations include: 1) Foster multidisciplinary collaborations between researchers, clinicians, industry leaders and regulatory bodies to translate scientific discoveries into clinical applications, 2) Optimize predictive preclinical models that closely reflect human disease phenotypes and genotypes, 3) Enhance healthcare infrastructure and establish protocols to facilitate access to and implementation of emerging technologies, 4) Conduct robust clinical trials to evaluate long-term safety and efficacy of novel therapies in diverse patient populations, 5) Develop biomarker panels, gene signatures, and AI algorithms for predictive risk stratification and adaptive interventions to improve outcomes, 6) Address ethical challenges regarding patient data privacy and equitable access to precision medicine approaches.

### Abbreviation's

HCV - Hepatitis C Virus; HBV - Hepatitis B Virus; NAFLD - Non-Alcoholic Fatty Liver Disease; NASH -Non-Alcoholic Steatohepatitis; HSCs - Hepatic Stellate Cells; LSECs - Liver Sinusoidal Endothelial Cells; PH - Portal Hypertension; TIPS - Transjugular Intrahepatic Portosystemic Shunt; MRI - Magnetic Resonance Imaging; CT - Computed Tomography; HA - Hyaluronic Acid; COMP - Collagen Oligomeric Matrix Protein; ECM - Extracellular Matrix; HGF -Hepatocyte Growth Factor; ROC - Receiver Operating Characteristic; AUC - Area Under the Curve: APRI - AST to Platelet Ratio Index: FIB-4 -Fibrosis-4 Index; ALT - Alanine Aminotransferase; AST - Aspartate Aminotransferase; HCC Hepatocellular Carcinoma; TGF-B - Transforming Growth Factor Beta; TNF-α - Tumor Necrosis Factor Alpha; AI - Artificial Intelligence

#### Declarations

#### Ethics approval and consent to participate

Not Applicable

**Consent for publication** 

Not Applicable

Availability of data and materials

All data are available and sharing is available as well as publication.

### **Competing interests**

The authors hereby that they have no competing interests.

#### Funding

Corresponding author supplied all study materials. There was no further funding for this study.

**Authors' contributions** 

#### ISSN:2837-4681

The authors completed the study protocol and were the primary organizers of data collection and the manuscript's draft and revision process. Tamer A. Addissouky wrote the article and ensured its accuracy. All authors contributed to the discussion, assisted in designing the study and protocol and engaged in critical discussions of the draft manuscript.

#### Acknowledgements

The authors thank all the researchers who have done great efforts on their studies. Acknowledgement: The authors would like to thank the Deanships of all the participated Universities for supporting this work. Moreover, we are grateful to the editors, reviewers, and reader of this journal.

### References

- Cheemerla, S., & Balakrishnan, M. (2021). Global epidemiology of chronic liver disease. Clinical *Liver Disease*, 17(5):365–370.
- Liu, Y., & Chen, M.-K. (2022). Epidemiology of liver cirrhosis and associated complications: Current knowledge and future directions. World Journal of Gastroenterology, 28(41):5910–5930.
- Allaire, M., Bruix, J., Korenjak, M., Manes, S., Maravic, Z., Reeves, H. L., Salem, R., Sangro, B., Sherman, M., et al. (2022). What to do about hepatocellular carcinoma: Recommendations for health authorities from the International Liver Cancer Association. JHEP Reports, 4(12):100578.
- Zapotoczny, B., Szafranska, K., Lekka, M., Ahluwalia, B. S., & McCourt, P. (2022). Tuning of liver sieve: The interplay between actin and myosin regulatory light chain regulates fenestration size and number in murine liver sinusoidal endothelial cells. International Journal of Molecular Sciences, 23(17):9850.
- Brzdęk, M., Zarębska-Michaluk, D., Invernizzi, F., Cilla, M., Dobrowolska, K., & Flisiak, R. (2023). Decade of optimizing therapy with direct-acting antiviral drugs and the changing profile of patients with chronic hepatitis C. World Journal of Gastroenterology, 29(6):949-966.
- Huang, D. Q., Terrault, N. A., Tacke, F., Gluud, L. L., Arrese, M., Bugianesi, E., & Loomba, R. (2023). Global epidemiology of cirrhosis – Aetiology, trends and predictions. Nature Reviews Gastroenterology & Hepatology, 20(6):388–398.
- Jagdish, R. K., Roy, A., Kumar, K., Premkumar, M., Sharma, M., Rao, P. N., Reddy, D. N., & Kulkarni, A. V. (2023). Pathophysiology and management of liver cirrhosis: From portal hypertension to acuteon-chronic liver failure. Frontiers in Medicine, 10.

- Addissouky, T. A., El-Agroudy, A. E., El-Torgoman, A. M. A. K., & El-Sayed, I. E. (2019). Efficacy of biomarkers in detecting fibrosis levels of liver diseases. World Journal of Medical Sciences, 16(1):11-18.
- 9. Addissouky, T. A., El-Sayed, I. E. T. E., Ali, M. M. A., et al. (2024). Latest advances in hepatocellular carcinoma management and prevention through advanced technologies. Egypt Liver Journal, 14(2).
- Naeem, M. A., Bano, N., Manzoor, S., Ahmad, A., Munawar, N., Razak, A., Lee, T. Y., Devaraj, S., & Hazafa, A. (2023). Pathogenetic mechanisms of liver-associated injuries, management, and current challenges in COVID-19 patients. Biomolecules, 13(1):99.
- 11. Addissouky, T. A., El Sayed, I. E. T., Ali, M. M. A., et al. (2024). Oxidative stress and inflammation: Elucidating mechanisms of smoking-attributable pathology for therapeutic targeting. Bulletin of the National Research Centre, 48(16).
- Addissouky, T. A., Ibrahim, Ali, Wang, Y., El Baz, A., Khalil, A. A., et al. (2024). Molecular pathways in sepsis pathogenesis: Recent advances and therapeutic avenues. Journal of Cellular Immunology, 5(6):174–183.
- 13. Daza-Cajigal, V., Segura-Guerrero, M., López-Cueto, M., Robles-Marhuenda, Á., Camara, C., et al. (2023). Clinical manifestations and approach to the management of patients with common variable immunodeficiency and liver disease. Frontiers in Immunology, 14.
- 14. Liu, Y., Zhang, J., Wang, Z., Ma, J., Wang, K., Rao, D., Zhang, M., Lin, Y., Wu, Y., Yang, Z., Dong, L., Ding, Z.-B., Zhang, X., Fan, J., Shi, Y., & Gao, Q. (2022). Multi-omics characterization reveals the pathogenesis of liver focal nodular hyperplasia. iScience, 25(9):104921.
- Lee, S., & Saffo, S. (2023). Evolution of care in cirrhosis: Preventing hepatic decompensation through pharmacotherapy. World Journal of Gastroenterology, 29(1):61-74.
- Ray, G. (2022). Management of liver diseases: Current perspectives. World Journal of Gastroenterology, 28(40):5818-5826.
- Addissouky, T. A., El Agroudy, A. E., El-Torgoman, A. M. A. K., El Sayed, I. E. T., Ibrahim, E. M., & Ali, M. M. A. (2019). Efficiency of alternative markers to assess liver fibrosis levels in viral hepatitis B patients. Biomedical Research, 30(2):351-356.
- Addissouky, T. A., Ali, M. M. A., El Tantawy El Sayed, I., Wang, Y., El Baz, A., Elarabany, N., et al. (2023). Preclinical promise and clinical challenges

for innovative therapies targeting liver fibrogenesis. Archives of Gastroenterology Research, 4(1):14-23.

- Kotowski, K., Kucharski, D., Machura, B., Adamski, S., Becker, B. G., Krason, A., Zarudzki, Ł., Tessier, J., & Nalepa, J. (2023). Detecting liver cirrhosis in computed tomography scans using clinicallyinspired and radiomic features. *Computers in Biology* and Medicine, 152:106378.
- Addissouky, T. A., Wang, Y., Megahed, F. A. K., et al. (2021). Novel biomarkers assist in detection of liver fibrosis in HCV patients. Egypt Liver Journal, 11:86.
- Ramadan, H. K. A., El-Raey, F., Zaky, S., et al. (2023). A paradigm shift in non-viral liver cirrhosis: A multicenter study on clinicoepidemiological characteristics and outcome of non-B non-C cirrhosis. Egypt Liver Journal, 13:35.
- Salinas Parra, N., Ross, H. M., Khan, A., Wu, M., Goldberg, R., Shah, L., ... Halegoua-De Marzio, D. (2023). Advancements in the diagnosis of hepatocellular carcinoma. International Journal of Translational Medicine, 3(1):51–65.
- 23. Vachliotis, I. D., & Polyzos, S. A. (2023). The role of tumor necrosis factor-alpha in the pathogenesis and treatment of nonalcoholic fatty liver disease. Current Obesity Reports.
- Pocino, K., Stefanile, A., Basile, V., Napodano, C., D'Ambrosio, F. R., Di Santo, R., ... Amodio, M. (2022). Cytokines and hepatocellular carcinoma: Biomarkers of a deadly embrace. Journal of Personalized Medicine, 13(1):5-5.
- Holman, A., Parikh, N., Clauw, D. J., Williams, D. A., & Tapper, E. B. (2022). Contemporary management of pain in cirrhosis: Toward precision therapy for pain. Hepatology.
- 26. Zhao, X., Zhang, C., An, Y., Zhang, Z., Zhao, J., Zhang, X., ... Cao, W. (2023). Research on liver damage caused by the treatment of rheumatoid arthritis with novel biological agents or targeted agents. Journal of Inflammation Research, 16, 443– 452.
- Punia, V. P. S., Agrawal, N., Bharti, A., Mittal, S., Chaudhary, D., Mathur, A., ... Chakravorty, A. (2023). Association of TGF-β1 polymorphism and TGF-β1 levels with chronic hepatitis C and cirrhosis: A systematic review and meta-analysis. Cureus.
- Farrokhi, M., Taheri, F., Jafari Khouzani, P., Rahmani, E., Tavakoli, R., Moghadam Fard, A., ... Rajabloo, Y. (2023). Role of precision medicine and personalized medicine in the treatment of diseases. *Kindle*, 3(1):1-164.

- 29. El Agroudy, A. E., Elghareb, M. S., Addissouky, T. A., Elshahat, E. H., & Hafez, E. H. (2016). Serum hyaluronic acid as a non-invasive biomarker to predict liver fibrosis in viral hepatitis patients. Journal of Biochemical and Analytical Research, 43(2):108377.
- El Agroudy, A. E., Elghareb, M. S., Addissouky, T. A., Elshahat, E. H., & Hafez, E. H. (2016). Biochemical study of some non-invasive markers in liver fibrosis patients. Journal of Biochemical and *Analytical Research*, 43(2):108375.
- Rahman, M., & Schellhorn, H. E. (2023). Metabolomics of infectious diseases in the era of personalized medicine. Frontiers in Molecular Biosciences, 10.
- 32. Addissouky, T. A., Khalil, A. A., El Agroudy, A. E., et al. (2023). Assessment of potential biomarkers for early detection and management of Glomerulonephritis patients with diabetic diseases. American Journal of Clinical Pathology, 160(Supplement\_1):S18-S19.
- Addissouky, T. A., Ali, M., El Tantawy El Sayed, I., & Wang, Y. (2023). Revolutionary innovations in diabetes research: From biomarkers to genomic medicine. International Journal of Diabetes and Obesity, 15(4):228-242.
- 34. Spârchez, Z., Crăciun, R., Nenu, I., Mocan, L. P., Spârchez, M., & Mocan, T. (2023). Refining liver biopsy in hepatocellular carcinoma: An in-depth exploration of shifting diagnostic and therapeutic applications. Biomedicines, 11(8):2324.
- Roman, S., Ramos-Lopez, O., & Panduro, A. (2023). Genomic medicine in hepatology: Towards personalized medicine in obesity and chronic liver disease. Annals of Hepatology, 28(1):100875.
- 36. Addissouky, T. A., El Tantawy El Sayed, I., Ali, M. M. A., Wang, Y., El Baz, A., Elarabany, N., et al. (2024). Shaping the future of cardiac wellness: Exploring revolutionary approaches in disease management and prevention. Journal of Clinical Cardiology, 5(1):6-29.
- 37. Liu, Y., Deng, S., Song, Z., Zhang, Q., Guo, Y., Yu, Y., ... Zhang, Y. (2021). MLIF modulates microglia polarization in ischemic stroke by targeting EEF1A1. Frontiers in Pharmacology, 12.
- Valenzuela-Vallejo, L., Sanoudou, D., & Mantzoros, C. S. (2023). Precision medicine in fatty liver disease/non-alcoholic fatty liver disease. Journal of Personalized Medicine, 13(5):830.
- Pirola, C. J., & Sookoian, S. (2022). Personalized medicine in nonalcoholic fatty liver disease. Clinical and Molecular Hepatology, 28(4):935-938.

- 40. Addissouky, T. A., Ali, M. M. A., El Tantawy El Sayed, I., & Wang, Y. (2023). Recent advances in diagnosing and treating Helicobacter pylori through botanical extracts and advanced technologies. Archives of Pharmacology and Therapeutics, 5(1):53-66.
- 41. Addissouky, T. A., et al. (2020). Efficiency of mixture of olive oil and figs as antiviral agents: A review and perspective. International Journal of Medical Science and Health Research, 4(4):107-111.
- 42. Addissouky, T. A., Khalil, A. A., & El Agroudy, A. E. (2023). Assessing the efficacy of a modified triple drug regimen supplemented with mastic gum in the eradication of Helicobacter pylori infection. American Journal of Clinical Pathology, 160(Supplement\_1):S19.
- 43. Addissouky, T. A., Wang, Y., El Sayed, I. E., et al. (2023). Recent trends in Helicobacter pylori management: Harnessing the power of AI and other advanced approaches. Beni-Suef University Journal of Basic and Applied Sciences, 12:80.
- 44. Cardinale, V., Lanthier, N., Baptista, P. M., Carpino, G., Carnevale, G., et al. (2023). Cell transplantation-based regenerative medicine in liver diseases. Stem Cell Reports, 18(8):1555-1572.
- 45. Zheng, W., Yao, L., Hu, X., Yuan, M., Chen, P., Liu, P., et al. (2023). Advancements in mesenchymal stem cell therapy for liver cirrhosis: Unveiling origins, treatment mechanisms, and current research frontiers. Tissue & Cell, 102198.
- 46. Addissouky, T. A., El Tantawy El Sayed, I., Ali, M. M. A., Wang, Y., et al. (2023). Developing a novel non-invasive serum-based diagnostic test for early detection of colorectal cancer. American Journal of Clinical Pathology, 160(Supplement\_1):S17.
- 47. Addissouky, T. A., El Tantawy El Sayed, I., Ali, M. M. A., Wang, Y., El Baz, et al. (2023). Can vaccines stop cancer before it starts? Assessing the promise of prophylactic immunization against high-risk preneoplastic lesions. Journal of Cellular Immunology, 5(4):127-126.
- 48. Addissouky, T. A., & Khalil, A. A. (2020). Detecting lung cancer stages earlier by appropriate markers rather than biopsy and other techniques. American

Journal of Clinical Pathology, 154(Supplement\_1):S146-S147.

- 49. Addissouky, T. A., Wang, Y., El Sayed, I. E., et al. (2023). Recent trends in Helicobacter pylori management: Harnessing the power of AI and other advanced approaches. Beni-Suef University Journal of Basic and Applied Sciences, 12, 80.
- Cardinale, V., Lanthier, N., Baptista, P. M., Carpino, G., Carnevale, G., Orlando, G., ... Uygun, B. E. (2023). Cell transplantation-based regenerative medicine in liver diseases. Stem Cell Reports, 18(8):1555-1572.
- 51. Zheng, W., Yao, L., Hu, X., Yuan, M., Chen, P., et al. (2023). Advancements in mesenchymal stem cell therapy for liver cirrhosis: Unveiling origins, treatment mechanisms, and current research frontiers. Tissue & Cell, 102198.
- 52. Addissouky, T. A., El Tantawy El Sayed, I., Ali, M. M. A., Wang, Y., El Baz, A., et al. (2023). Developing a novel non-invasive serum-based diagnostic test for early detection of colorectal cancer. American Journal of Clinical Pathology, 160(Supplement\_1):S17.
- 53. Addissouky, T. A., El Tantawy El Sayed, I., Ali, M. M. A., Wang, Y., El Baz, A., et al. (2023). Can vaccines stop cancer before it starts? Assessing the promise of prophylactic immunization against high-risk preneoplastic lesions. Journal of Cellular Immunology, 5(4):127-126.
- 54. Addissouky, T. A., & Khalil, A. A. (2020). Detecting lung cancer stages earlier by appropriate markers rather than biopsy and other techniques. American Journal of Clinical Pathology, 154(Supplement\_1):S146-S147.
- 55. Popa, S. L., Ismaiel, A., Abenavoli, L., Padureanu, A. M., Dita, M. O., Bolchis, R., et al. (2023). Diagnosis of liver fibrosis using artificial intelligence: A systematic review. Medicina (Kaunas):59(5):992.
- 56. Bhat, M., Rabindranath, M., Chara, B. S., & Simonetto, D. A. (2023). Artificial intelligence, machine learning, and deep learning in liver transplantation. Journal of Hepatology, 78(6):1216-1233.

**Cite this article:** Addissouky T.A., Sayed I.T., Ali M.M.A. (2024). Cirrhosis Chronicles: Unraveling the Enigma and Revolutionary Therapies. *Journal of BioMed Research and Reports*, BioRes Scientia Publishers. 5(1):1-12. DOI: 10.59657/2837-4681.brs.24.074

**Copyright:** © 2024 Tamer A. Addissouky, this is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Article History: Received: February 02, 2024 | Accepted: February 29, 2024 | Published: June 01, 2024